## Standard Operating Procedure RESEARCH SAFETY REPORTING

SETTING Trust wide/Research & Innovation

FOR STAFF All staff involved in research

#### **Standard Operating Procedure (SOP)**

Research Safety Reporting Standard Operating Procedure				
Approved by: Diana Benton Deputy Director of Research & Innovation				
Updated by:	Jess Bisset	Research Operations Manager		

	Date	Version	Reason for change	Author/Responsible person
Original policy	September 2005			Research and Development Manager (Governance and Quality)
Review	September 2008			
Review	August 2011	3.4		
Update	February 2012	3.5	Minor change to errors in addresses	Research Operations Manager
Review & Update	February 2012	4.0	Change from annual reporting to Development Safety Update Reporting	Research Operations Manager
Approved	February 2012	4.0	Change from annual reporting to Development Safety Update Reporting	Deputy Director of Research and Innovation
Review & Update	March 2013	5.0	Changes to out of date website links and clarification on responsibilities of research team.	Acting Research Operations Manager.
Review & Update	April 2014	6.0	Clarification of process of reporting and updates to website links.	Research Operations Manager
Review & Update	February 2015	7.0	Clarification of process of reporting, updates to website links and minor changes to reporting templates	Research Operations Manager

Saved in  $\sc J:Research \&Innovation:Quality System Documents_R \&I SOPs$ 

Page 1 of 41

Review date	Version number	Version Date	Effective Date	Reason for change	Author/Responsible person	Authorised by
September 2015	V8.0	12/10/2015	03/11/2015	Update to template in line with new R&I SOP template, update to SAE forms, addition to appendices of processes, minor clarification of reporting process and clarification of expectation of DSMBs	Jess Bisset – Research Operations Manager	Diana Benton
November 2016	V9.0	06/01/2017	14/02/2017	Additional information about Reference Safety Information, revising order of SOP, updates and clarifications	Jess Bisset	Diana Benton

Acknowledgements:

- 1. Ms Tanya Symons; T Symons Associates Ltd. 154 Tivoli Crescent North, Brighton, East Sussex.
- 2. North Bristol NHS Trust

Saved in  $\t J: Research \& Innovation: Quality System Documents_R \& I SOPs$ 

#### **RESEARCH SAFETY REPORTING**

#### 1 Background, guidance and legislation

- 1.1 In 2001 the Government published the Research Governance Framework for Health and Social Care. Enquiries into adverse incidents relating to research have criticised the lack of clarity in relation to responsibilities and accountabilities for research in health and social care. This is of particular importance, given the very wide range of individuals and organisations that can be involved in research. The Framework pays particular attention to clarifying responsibilities and accountabilities with the aim of forestalling research related adverse incidents. In accordance with the Research Governance Framework for Health and Social Care UH Bristol must have systems in place to record, investigate and report adverse incidents arising from any research undertaken within the Trust.
- 1.2 The Medicines for Human Use (Clinical Trials) Regulations 2004 came into force on the 1<sup>st</sup> May 2004. These regulations including any amendments apply to <u>all</u> clinical trials involving investigational medicinal products (CTIMPs) and specify the reporting requirements for research related adverse events. To breach these requirements constitutes a breach in criminal law. The requirements have been incorporated within this policy.
- 1.3 In the same way that adverse incidents, including clinical, non-clinical and near misses can involve patients, staff and visitors during routine care, adverse incidents can also occur during research related activities. It is important that adverse incidents occurring in the context of research are treated in the same way as non-research related adverse incidents i.e. they should be reported in accordance with trust policy (see Adverse Incident Reporting Policy and Guidelines located on UHBristol intranet). NB, an adverse incident may also be an adverse event and should be reported through both routes..
- 1.4 All Trusts have a responsibility to report adverse incidents relating to research to the National Patient Safety Agency.
- 1.5 For CTIMPs, updated guidance (Development Safety Update Report (DSUR) ICH E2F) was published in September 2010 in the EU and was implemented in September 2011. DSUR should be provided at yearly intervals from the date of the original exemption, for trials ongoing on 1 May 2004, or the date of the first CTA approval for trials starting after 1 May 2004. For trials with marketed products the date is the first marketing authorisation granted in the EU. The purpose of the DSUR is to introduce a common standard for periodic reporting on drugs under development among the ICH regions, highlighting new safety issues and giving a current safety profile of an IMP.

#### 2 Scope

#### 2.1 In scope:

Recording and reporting of Adverse Events, including Adverse Reactions, Serious Adverse Events, Serious Adverse Reactions and Suspected Unexpected Serious Adverse Reactions will be managed in line with the reporting policy of the sponsor of

Page 3 of 41

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

the research study. Where UH Bristol is the sponsor, where no sponsor policy exists, or where the minimum reporting requirements laid out within the UH Bristol Research Safety Reporting SOP are not met, this SOP must be followed as a minimum.

#### 2.2 Out of scope:

Adverse incidents which will be reported in accordance with UH Bristol Adverse Incident Reporting Policy and Guidelines (see section 1.3).

#### 3 Abbreviations and definitions

#### 3.1 Abbreviations

#### 3.2 Definitions

Adverse event	Any untoward medical occurrence in a subject to whom a medicinal product/medical device/intervention has been administered, including occurrences which are not necessarily caused by or related to that product.
	An adverse event can therefore be any unfavourable and unintended sign (including abnormal lab results), symptom or disease temporally associated with the use of the medicinal product/medical device/intervention, whether or not considered to be related to the medicinal product/medical device/intervention.
	Not all adverse events are adverse reactions but all adverse reactions are adverse events.

Page 4 of 41

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Adverse reaction	Any untoward and unintended response in a subject to an investigational medicinal product/medical device/intervention which is related to any dose administered to that subject
	Any adverse event judged by either the reporting investigator or the sponsor as having reasonable causal relationship to a medicinal product/medical device/intervention qualifies as an AR; there is evidence or argument to suggest a causal relationship. All adverse reactions are adverse events.
Unexpected adverse reaction	An adverse reaction, the nature and severity of which is not consistent with the information set out in:
	(a) the summary of product characteristics (for a product with a marketing authorisation),
	(b) the investigator's brochure (for any other investigational medicinal product).
	This applies to the medicinal product/medical device/intervention in
	question When the outcome of the adverse reaction is not consistent with the applicable product information this adverse reaction should be considered as unexpected. All unexpected adverse reactions are adverse events
Serious adverse event, serious	An adverse event, adverse reaction or unexpected adverse reaction is defined as <b>serious</b> if it:
adverse reaction or unexpected serious adverse reaction	<ul> <li>(a) results in death,</li> <li>(b) is life-threatening*,</li> <li>(c) requires hospitalisation or prolongation of existing hospitalisation,</li> <li>(d) results in persistent or significant disability or incapacity, or</li> <li>(e) consists of a congenital anomaly or birth defect.</li> </ul>
	*Life threatening in the definition of an SAE or SAR refers to an event in which the subject was at risk of death at the time of the event; it does not refer to an event that hypothetically might have caused death if it were more severe. Medical judgement should be exercised in deciding whether an SAE/SAR is serious in other situations. Important SAE/SARs that are not immediately life-threatening or do not result in death or hospitalisation but may jeopardise the subject or may require intervention to prevent one or the other outcomes listed in the definition above, should also be considered serious.
Suspected serious adverse reaction (SSAR),	Any <b>serious adverse reaction</b> that is suspected (possibly or probably or definitely) to be related to the investigational medicinal product/medical device/intervention.

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in  $\t J: Research \& Innovation: Quality System Documents_R \& I SOPs$ 

Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Page 5 of 41

Suspected unexpected serious adverse reaction (SUSAR)	For CTIMPs an SSAR which is also "unexpected", meaning that its nature and severity are not consistent with the information about the medicinal product in question set out in the agreed Reference Safety Information examples of which are: (a) in the case of a product with a marketing authorisation, in the summary of product characteristics for that product (b) in the case of any other investigational medicinal product, in the investigator's brochure relating to the trial in question.
Reference Safety Information	The information used for assessing whether an adverse reaction is expected.
Investigational Medicinal Product	A pharmaceutical form of an active substance or placebo being tested or used as a reference in a clinical trial including a medicinal product which has a marketing authorisation but is, for the purposes of the trial being used or assembled (formulated or packaged) in a way different from the approved form or being used for an unapproved indication or when used to gain further information about an approved use.
non-IMP SUSAR	<ul> <li>An SAE that occurs in a non-IMP trial and is:</li> <li>"Related" – that is, possibly, probably or definitely resulted from administration of any of the research procedures, and</li> <li>"Unexpected" – that is, the type of event is not listed in the protocol as an expected occurrence.</li> </ul>
Urgent Safety Measures (USMs)	Where the sponsor and investigator may take appropriate action to protect a research participant from an immediate hazard to their health and safety. This measure can be taken before seeking approval from the competent authorities (MHRA in the UK) and ethics committees of all member states concerned ( <u>http://www.ct-toolkit.ac.uk/routemap/urgent-safety-measures</u> )

#### 4 Assessment of Adverse Events

#### 4.1 Intensity

The assessment of intensity will be based on the investigator's clinical judgement using the following definitions:

- **Mild:** An event that is easily tolerated by the patient, causing minimal discomfort and not interfering with everyday activities.
- Moderate: An event that is sufficiently discomforting to interfere with normal everyday activities.
- Severe: An event that prevents normal everyday activities.

Comment: The term **severity** is often used to describe the intensity (severity) of a specific event. This is not the same as 'seriousness', which is based on patient/event outcome or action criteria.

#### 4.2 Seriousness

Page 6 of 41

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

The adverse event will be assessed by the investigator for seriousness (please see definitions section for further information on when an event is considered serious).

#### 4.3 Causality

#### 4.3.1 Reference Safety Information

Prior to the trial commencing the Chief Investigator will determine what will be used as the Reference Safety Information (RSI) to determine causality of any adverse events. This RSI will be submitted to the MHRA as part of the CTA application and may be

- (a) in the case of a product with a marketing authorisation, in the summary of product characteristics for that product
- (b) in the case of any other investigational medicinal product, in the investigator's brochure relating to the trial in question.
- (c) Any other agreed document as approved by the MHRA

The CI, Sponsor and all other Principal investigators will be provided with the approved RSI prior to the trial commencing. If the CI and/or sponsor is informed of any updates to the document being used as the RSI (for example, if the summary of product characteristics is updated by the manufacturer), the sponsor and CI must agree whether this should replace the existing RSI. If it is agreed, an amendment will be submitted to the MHRA and only once approved will the updated RSI be used, except in the case of Urgent Safety Measures, in which case the process described in 5.3.1 will be followed.

The relationship between the drug/device/procedure and the occurrence of each adverse event will be assessed and categorised as below. The investigator will use the agreed RSI in conjunction with their clinical judgement to determine the relationship. Alternative causes, such as natural history of the underlying diseases, concomitant therapy, other risk factors etc. will be considered.

- **Not related:** Temporal relationship of the onset of the event, relative to administration of the product, is not reasonable or another cause can by itself explain the occurrence of the event.
- **Unlikely:** Temporal relationship of the onset of the event, relative to administration of the product, is likely to have another cause which can by itself explain the occurrence of the event.
- **\*Possibly related:** Temporal relationship of the onset of the event, relative to administration of the product, is reasonable but the event could have been due to another, equally likely cause.
- **\*Probably related:** Temporal relationship of the onset of the event, relative to administration of the product, is reasonable and the event is more likely explained by the product than any other cause.
- **\*Definitely related:** Temporal relationship of the onset of the event, relative to administration of the product, is reasonable and there is no other cause to explain the event, or a re-challenge (if feasible) is positive.

\*Where an event is assessed as *possibly related, probably related, or definitely related* the event is an *adverse reaction*.

Page 7 of 41

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

#### 4.3.2 Expectedness

The expectedness of an adverse reaction shall be determined according to the RSI and as defined in the study protocol

**Expected:** Reaction previously identified and described in the RSI and/or protocol **Unexpected:** Reaction not previously described in the RSI and/or protocol.

Adverse reactions must be considered as unexpected if they add significant information on the specificity or severity of an expected adverse reaction

NB The protocol must identify the RSI used.

#### 5 Investigator Responsibilities

#### 5.1 All Adverse Events

- 5.1.1 The Investigator must ensure that the dignity, rights, safety and well-being of subjects are given priority at all times and must take appropriate action to ensure the safety of all staff and patients in the study. The Investigator will consider what actions, if any, are required and in what timeframe.
- 5.1.2 Should the protocol need to be amended as a result of actions that the Investigator has taken to maintain the safety of staff and patients (see 5.1.1), the Investigator must ensure appropriate regulatory permissions are obtained for the amendment in line with the Gaining and Maintaining Authorisations SOP.
- 5.1.3 If the amendment is due to implementation of urgent safety measures, the amendment will be implemented immediately and then submitted for necessary approvals. Initial notification of the urgent safety measure should be by telephone to R&I on 0117 342 0233 Notice in writing to REC, R&I and MHRA should be sent within three days. The notice should set out the reasons for the urgent safety measures and plan for further action.
- 5.1.4 The Investigator is responsible for ensuring that all *adverse incidents*, whether or not related to research, are reported in accordance with the University Hospital Bristol's Serious Incident Policy and associated policies.
- 5.1.5 In the event of an *adverse event/reaction*, the investigator (or delegated member of research team) must review all documentation (e.g. hospital notes, laboratory and diagnostic reports) relevant to the event. The event and relevant comments must then be recorded in the subject's medical notes (or source data where this is not the medical notes).
- 5.1.6 Except where the protocol states otherwise, all *adverse event/reactions* should be recorded in detail on a case record form or equivalent to allow analysis at a later stage. A template for recording adverse events is provided as an example in appendix 1.

Page 8 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

- 5.1.7 For all *adverse event/reactions* the investigator must make an assessment of intensity, causality, expectedness and seriousness as described in section 4. It is important to record intensity because in some expected events the intensity may increase, resulting in the event becoming unexpected, which may change the reporting requirements.
- 5.1.8 **Adverse events** and/or **laboratory abnormalities identified in the protocol as critical** to the evaluations of the safety of the study must be reported to the sponsor in accordance with the reporting requirements documented in the protocol.
- 5.1.9 The Chief Investigator will review all adverse events/reactions reported to identify any trends which may require urgent action.
- 5.1.10 The Chief Investigator will keep the Sponsor and the main REC informed of any significant findings and recommendations by an independent Data Monitoring Committee or equivalent body where one has been established for the trial.
- 5.1.11 At the conclusion of the study all *adverse event/reactions* recorded during a study must be subject to statistical analysis as determined by the protocol and that analysis and subsequent conclusions included in the final study report.

#### 5.2 Serious Adverse Events

- 5.2.1 Within 24 hours of a member of the research team becoming aware of a *serious adverse event* the sponsor must be notified. The investigator may delegate this to appropriate personnel within their research team and they/investigator will make an initial report, orally or in writing. Oral reports will be followed up in writing within 24 hours of the initial report. Written reports will be made by completing an SAE/SUSAR report form provided by the sponsor of the research study. Where UH Bristol is the sponsor or where no form has been provided, the investigator will use the UH Bristol Research Related SAE/SUSAR Initial Report form (appendix 3) unless there is documented agreement from R&I that a different template form can be used. The initial report will include as much information as is available at the time.
- 5.2.2 In addition to 5.2.1 the following bodies must also be notified in a timely fashion. It is strongly recommended that this be at the same time as notifying the sponsor:
  - The Chief Investigator
  - Any other persons or bodies specified in the protocol (e.g. Data Safety Monitoring Board)

The only exception to sections 5.2.1 and 5.2.2 is where the protocol or other relevant RSI (e.g. investigator brochure) identifies the event as not requiring immediate reporting.

5.2.3 After the initial report the investigator is required actively to follow up the subject. The investigator (or delegated person) must provide information missing from the initial report within five working days of the initial report to the bodies specified in section 5.2.1 and 5.2.2.

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

- 5.2.4 Investigators (or delegated persons) will provide follow-up information, each time new information is available, using the UH Bristol Research Related SAE/SUSAR Follow-up Report form (appendix 4),form provided by the sponsor or other agreed form, until the **SAE** has resolved or a decision for no further follow up has been taken.
- 5.2.5 For all studies the Chief Investigator must inform all Principal Investigators of relevant information about **SAEs** that could adversely affect the safety of subjects.
- 5.2.6 The Chief Investigator will review *all* serious adverse events/reactions reported to identify any trends which may require urgent action.
- 5.2.7 The Chief Investigator will provide the main REC with copies of all reports and recommendations of any independent Data Safety Monitoring Board established for a trial as applicable.
- 5.2.8 For IMP studies, on request of the MHRA the Chief Investigator will submit detailed records of all *adverse events* that have been reported.

#### 5.3 Urgent Safety Measures

5.3.1 The sponsor and investigator may take appropriate Urgent Safety Measures (USMs) to protect a research participant from an immediate hazard to their health and safety. This measure can be taken before seeking approval from the competent authorities (MHRA in the UK) and ethics committees of all member states concerned (<u>http://www.ct-toolkit.ac.uk/routemap/urgent-safety-measures</u>). The first action is to protect patient safety/health. Following that, where UHBristol is sponsor, the CI/PI on behalf of the sponsor should discuss the urgent safety measure by telephone as soon as it has been put in place with an MHRA safety scientist in the first instance. A protocol amendment must be submitted within the following three days to the MHRA, and ethics committee; details are located on the MHRA website. All communication between the MHRA, the CI/PI and the R&I office should be documented and placed in the ISF and TMF.

#### 5.4 Data Safety Monitoring Boards

5.4.1 During trial set up it will be assessed by Sponsor and Chief Investigator whether a Data Safety Monitoring Board (DSMB) is required to provide essential oversight of the trial. The role and responsibility of the DSMB will be described in the Protocol and documented charter prior to study start.

Where a DSMB is put in place for a UH Bristol sponsored trial the expectation of the board and its functions will include but not be limited to the following;

- The members should be independent of Sponsor and CI
- The process for frequency of meeting and methods of communication should be documented in a charter prior to study start
- How reports from the board will be generated and process of how actions must be addressed in an efficient manner documented
- A member of the board or research team is delegated responsibility for maintaining the DSMB paperwork and acting as a liaison point between the DSMB, Sponsor and CI

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

- For blinded trials review unblinded data in order to maintain oversight of safety
- Provide recommendations to Sponsor or Trial Steering Committee (if in place) on trial design, protocol amendments, urgent safety measures etc.

Further information on DSMB can be found in the EMA 'Guidance on data monitoring committees' (EMEA/CHMP/EWP/5872/03). Where UH Bristol are Sponsor the requirements of a DSMB will be discussed during the Study Set Up and Management Plan (SUMP) and the expectation and processes documented in an agreed charter.

#### 5.5 Development Safety Update reports

5.5.1 For CTIMPs, on the first anniversary of (a) the date of the first Clinical Trials Authorisation (CTA) approval (trials starting after 1 May 2004) (b) the date of the original exemption (trials commenced under an exemption) or (c) the date of the first marketing authorisation granted in the EU (marketed products) and thereafter annually until the regulator has been informed of the closure of the trial, a DSUR must be compiled and submitted. Preparation and submission of the DSUR will be the responsibility of the Chief Investigator, supported and co-ordinated by the sponsor if required. Submission should be made electronically to the MHRA through the Common European Submission Platform (CESP). The Research Operations Manager in R&I will provide members of the research teams delivering UH Bristol Sponsored CTIMPs user access to CESP where appropriate.

And via email to:

• Research Ethics Committee that granted approval.

Appendix 7 and 8 provide guidance and templates for DSURs. If the UHBristol template is not used, the DSUR report should still be submitted to the Research Projects Manager for review before submission to the MHRA.

5.5.2 Each submission of a DSUR to the REC must be accompanied by the CTIMP safety report to REC which is available to download from the HRA website.

Annual safety reports must also be sent to the REC for non CTIMPs. Further information including the required form can be found on the HRA website.

#### 6 Annual Progress Reports

- 6.1 Annual progress reports should be submitted thereafter until the end of the study
- 6.2 For all studies (IMP and non-IMP studies), 1 year following the granting of a favourable ethical opinion and thereafter annually, the Chief Investigator will submit progress reports to the Research Ethics Committee. These reports will include information on the safety of participants and are required in addition to the annual safety report. The form for providing these reports is available on the HRA website.
- 6.2.1 For blinded studies where UH Bristol is sponsor, in compiling these reports, at the request of the Chief Investigator the Research and Innovation Department will provide any additional information required relating to the Sponsor's assessment of

Page 11 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

SAEs. The Research and Innovation Department will take all reasonable efforts to ensure that no information that could unblind and therefore compromise the study is provided directly to the Chief Investigator, unless the Chief Investigator is already unblinded.

#### 6.3 End of study declaration and reports

6.3.1 For UH Bristol sponsored studies the CI must inform R&I when the study has ended and they are preparing the end of study declaration. R&I will review the study using the standalone template 'study close out checklist' to determine whether they are satisfied as sponsor that the study has ended and what close down procedures need to be actioned.

Further information on reporting requirements can be found in the Gaining and Maintaining Authorisations SOP

- Once the declaration of end of study has been submitted to both REC & MHRA no amendments can be made to the study.
- 6.3.2 For blinded studies where UH Bristol is sponsor, in compiling these reports, at the request of the Chief Investigator, the Research and Innovation Department will provide any additional information required relating to the Sponsor's assessment of SAEs. The Research and Innovation Department will take all reasonable efforts to ensure that no information that could unblind and therefore compromise the study is provided directly to the Chief Investigator, unless the Chief Investigator is already unblinded.

#### 7 Department of Research and Innovation Responsibilities

- 7.1 Where UH Bristol is the sponsor of a blinded research study in which the *SAE/SUSAR* has occurred and where the Investigator and Sponsor have assessed that an unblinded assessment is required, the Research and Innovation Department will follow the unblinding process described within the approved study Protocol to make an unblinded assessment of intensity, causality, expectedness and seriousness using the criteria described in section 6. In making this assessment the Research and Innovation Department will consult the independent Data Safety Monitoring Board (DSMB) for the study or, where a DSMB does not exist, a suitably medically qualified person. This unblinded assessor may be an investigator on the same study if unblinding him/her will not affect the conduct of the study in which the SAE has occurred; this will not be the person who made the initial assessment. *NB A second assessment is unblinded or where it is deemed unnecessary to make an unblinded assessment e.g, the event was expected.*
- 7.2 The Research and Innovation Department will consider whether any actions, in addition to those already taken by the investigator, are required and will discuss these with the investigator.
- 7.3 The Research and Innovation Department reserves the right to suspend or withdraw sponsorship and NHS permission (or equivalent) for a study. This may happen, but is not limited to, where public health and safety is considered to be at

Page 12 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

risk, where the safety and well-being of research subjects or staff are considered to be at risk.

7.4 The Research and Innovation Department will maintain a record of all **SAEs** reported to the Department.

#### 7.5 Non-IMP SUSARs

7.5.1 Where UH Bristol is the sponsor of a blinded non-IMP study, the Research and Innovation Department will delegate responsibility to the research team to report all SAEs that are assessed as **non-IMP SUSARs**. This assessment will be made by either the investigator or the un-blinded assessor. The report will be sent to the research ethics committee that granted approval within 15 days using the applicable form available on the HRA website.

#### 7.6 IMP SUSARs

- 7.6.1 This section applies only where UH Bristol is the sponsor of the research study using an IMP in which the SAE has occurred and where the investigator and/or sponsor has assessed the SAE to be a **SUSAR**.
- 7.6.2 In the event of a SUSAR occurring in a UHBristol or University of Bristol sponsored CTIMP, a member of the Research & Innovation senior management team or delegated individual within the operations team will make an entry in the European database. The procedure is to log into the MHRA eSUSAR system: <a href="https://esusar.mhra.gov.uk/">https://esusar.mhra.gov.uk/</a> using the login details which are located in the R&I shared J Drive within the monitoring folders (to which only R&I staff have access). The instructions given within the database will be followed. The R&I department will ensure that any SUSARs are reported within required timeframes regardless of who carries out the reporting.
- 7.6.3 The Research and Innovation Department will delegate responsibility to the research team to report all SUSARs that are fatal or life-threatening to:
  - The research ethics committee that granted approval<sup>1</sup> within seven days of becoming aware of the event.
- 7.6.4 The Research and Innovation Department will delegate responsibility to the research team to report any additional relevant information to the bodies described in section 7.6.3 within eight days of the report being made.
- 7.6.5 The Research and Innovation Department will delegate responsibility to the research team to report all *SUSARs* that are not assessed as life threatening or fatal to:
  - The research ethics committee that granted approval<sup>1</sup> within 15 days of becoming aware of the event.

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

<sup>&</sup>lt;sup>1</sup> In the case of the main REC, UH Bristol is only required to report in an expedited fashion SUSARs occurring in the UK.

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Page 14 of 41

- 7.6.6 Initial notifications of **SUSARs** may be made by fax, e-mail or telephone. Follow-up reports and all other safety reports should be sent to the REC office by email.
- 7.6.7 Each submission of a **SUSAR** report to the REC must be accompanied by the Safety Report form for CTIMPs available on the HRA website.

A single form may be used for the submission of several safety reports relating to the same trial. Reports should not normally cover more than one trial. However, the REC may permit this where two trials are very closely connected, for example a main study and an extension study with the same treatment regime.

#### 7.7 Development Safety Update, annual progress and end of study reports

7.7.1 Where UH Bristol is sponsor, at the request of the Chief Investigator the Research and Innovation Department will assist the Chief Investigator by co-ordinating the compilation of the Development Safety Update, annual progress and end of study reports. In meeting such requests the Research and Innovation Department will take all reasonable efforts to ensure that no information that could unblind and therefore compromise the study is provided directly to the Chief Investigator, unless the Chief Investigator is already unblinded.

#### 8 References

1. **Department of Health Second edition April 2005** Research Governance Framework for Health and Social Care.

https://www.gov.uk/government/uploads/system/uploads/attachment\_data/file/139565/dh\_ 4122427.pdf

2. The Medicines for Human Use (Clinical Trials) Regulations 2004 Statutory Instrument 2004 No. 1031

http://www.legislation.hmso.gov.uk/si/si2004/20041031.htm#33

3. EMEA Detailed guidance on the collection, verification and presentation of adverse reaction reports arising from clinical trials on medicinal products for human use. April 2006

http://ec.europa.eu/health/files/eudralex/vol-10/21\_susar\_rev2\_2006\_04\_11\_en.pdf

#### 4. DSUR guidance: ICH E2F

http://www.ich.org/fileadmin/Public\_Web\_Site/ICH\_Products/Guidelines/Efficacy/E2F/Step 4/E2F\_Step\_4.pdf

# RELATED002/UHBristolR&I Sponsorship SOPDOCUMENTS005/UH Bristol R&I Gaining & Maintaining Authorisation SOPQUERIESResearch Operations Manager or Research Management Faci

Research Operations Manager or Research Management Facilitators - Research & Innovation Department via 0117 342 0233

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

#### Appendix 1 - Adverse Events template

#### UH Bristol Investigator's Template for recording Adverse Events

(Page 1 of 1)

Full title of Study:	
Ethics No:	UH Bristol Study Reference
	no:

Sheet number: \_\_\_\_\_ of \_\_\_\_\_

AE No:	Patient ID	Description of Event		Start date	Duration/End date	Outcome	**Sequelae
						<ul> <li>Resolved</li> <li>Ongoing</li> <li>Ongoing with sequelae**</li> </ul>	
Assessr	ment		-				
Intensity Causality Relation drug/dev intervent	y: ship to study <i>r</i> ice/	<ul> <li>mild</li> <li>moderate</li> <li>severe</li> <li>not related</li> <li>unlikely to be</li> <li>related</li> <li>possibly related</li> <li>probably related</li> <li>definitely related</li> </ul>	Expectedness	<ul> <li>unexpected i.e. not described in protocol, product information or Investigator Brochure.</li> <li>Not serious</li> <li>Results in death*</li> <li>Life threatening*</li> <li>Results in hospitalisation or prolongation of existing hospitalisation*</li> <li>Results in disability or incapacity*</li> </ul>			
			Congenital anomaly or birth defect*				

\* Event is considered serious – report to the sponsor within 24 hours using the form provided. Where none is provided use the UH Bristol Research Related SAE/SUSAR Initial Report Form

An event/reaction is serious if it:

- results in death,
- is life threatening,
- results in persistent or significant disability/incapacity,
- requires hospitalisation,
- prolongs a current hospitalisation
- results in a congenital anomaly or birth defect.

This form must be used where UH Bristol is the sponsor of the research study in which the SAE has occurred or where no other form has been provided by the sponsor.

#### Instructions for completion of Initial and Follow up Report Forms (Appendices 3 & 4):

- 1. As soon as possible, and at the latest within 24 hours of becoming aware of event,
  - Complete the Initial Report Form and send to sponsor.
  - Where UH Bristol is sponsor;
    - email: research@uhbristol.nhs.uk OR
    - fax: 0117 342 0239
  - Where University Of Bristol is sponsor the form must be submitted to both UH Bristol (using details above) and the University of Bristol;
    - email: research.governance@bristol.ac.uk OR
    - fax: 0117 929 8383

Please ensure that all sections have been completed.

#### 2. As soon as possible, and at the latest within five days of becoming aware of the event,

- Complete the Follow up Report Form and send to sponsor.
  - Where UH Bristol is sponsor;
    - email: research@uhbristol.nhs.uk OR
    - fax: 0117 342 0239

Where University Of Bristol is sponsor the form must be submitted to both UH Bristol (using details above) and the University of Bristol;

- email: research.governance@bristol.ac.uk OR
- fax: 0117 929 8383

Please ensure that all sections of the forms have been fully completed

## NB: Points 1 and 2 may be done together, if within 24 hours of becoming aware of the event.

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

- 3. Complete and return (as above) further Follow-up Report Form(s) for data collected later than five days post SAE until the SAE has resolved or a decision for no further follow up has been taken.
- 4. Initial and Follow up Report Forms must be signed off by the appropriate personnel and sent to the sponsor. Where UH Bristol is sponsor forms may be provided in paper, fax or electronic format. Paper copies to be sent to Research and Innovation, Level 3, UH Bristol Education Centre, Upper Maudlin Street, Bristol, BS2 8AE (not required if signatures on faxed copy). Faxed forms to be sent to 0117 342 0239 as detailed above. Electronic forms can be submitted via email to <u>research@uhbristol.nhs.uk</u>. Where the forms are submitted via email the scanned copy must include the signature of the CI/PI or alternatively be sent from the CI/PI email account as confirmation of signature.
- 5. For multi-centre studies where CI is not investigator making this report, send a copy of each form to the Chief Investigator.
- 6. Send a copy of each form to other bodies as required. e.g. Data Safety Monitoring Board.
- 7. Keep original forms in Investigator Site File (ISF).
- 8. Identifiable information must not be sent to sponsor unless; patient consent allows sponsor access, it is essential and it is sent via a secure method.

#### Appendix 3 - SAE initial report form

UH Bristol/UoB	R&I case reference	
reference number	number (R&I use only)	
Subject ID/Initials	Study site:	
	Onset date of SAE	

#### SAE/SUSAR INITIAL REPORT FORM (Page 1 of 5)

EudraCT number					
1. Study Title (use short title where available):					
2. Details of subject affe	ected by SAE/SUS	SAR			
Subject study ID:					
Initials					
3. Details of SAE/SUSA	R (further space a)	vailable in sec	ction 1	2)	
Main diagnosis or				-/	
main symptom (if					
diagnosis not known)					
(to be used as quick reference of event):					
Onset Date	Date investigato	r/research t	eam	End date	OR Duration
(when event became	became aware o	of event		and time (	if
serious)				applicable	e)
Full departmention of avant/r	a action in duding				
Full description of event/r	eaction, including	body site, rep	onea	signs and s	ymptoms.
Event in defined as series	in honouno it (tink		*600	oifu <i>r</i>	
Event is defined as seriou apply):	is because it (lick)	as many as	*Spe	Ciry.	
resulted in death					
is/was life-threatening	]				
resulted in persistent	or significant				
disability/incapacity					
required hospitalisation					
<ul> <li>prolonged an ongoing hospitalisation</li> <li>resulted in a congenital anomaly or birth defect</li> </ul>					
other – please specify					
	Please give further details in section 6 'Outcome'				
Maximum intensity if no		Mild	Mode	erate	Severe
•	threatening or results in death (up until				
time of initial report)	time of initial report)				

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Page 18 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

To be completed by person fill	ing in the SAE form	
UH Bristol/UoB reference	R&I case reference number (R&I use only)	
number		
Subject ID/Initials	Study site:	
	Onset date of SAE	

#### SAE/SUSAR INITIAL REPORT FORM

(Page 2 of 5)

Sheet number: \_\_\_\_\_of \_\_\_\_\_

4. Details of IMF	4. Details of IMP/device/intervention(s) if applicable (further space available in section 12)									
Brand name:	Indication	Batch no.	Route (e.g. oral)	Form (e.g. tablet)	Total dose/24h (specify units)	Regimen (e.g. BD)	Start date & time	Stop date & time	Suspected cause of SAE /SUSAR? (Y/N)	
For blinded studi *If yes, give deta	es, was the randon ils:	nisation c	ode broken?		Yes	No	N/A			

#### Continue on new sheet if necessary; please identify how many sheets have been used.

Page 19 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

To be completed by person filling in the SAE form					
JH Bristol/UoB R&I case reference number					
reference number	(R&I use only)				
Subject ID/Initials	Study site:				
	Onset date of SAE				

#### SAE/SUSAR INITIAL REPORT FORM (page 3 of 5)

5. Outcome (further space available)	lable in section 12)							
Resolved*	Ongoing*	Died* (give cause and PM details if available)						
*Give details:								
Was the patient withdrawn from	the study?	Yes No						
6. Location of (onset of) SAE (further space available in section 12)								
Setting (e.g. hospital*, home, GP, nursing home):								
*If SAE occurred on UH Bristol								
7. Action taken and further int								
etc):	Ū	MP where applicable e.g. drug withdrawn						
Other information relevant to assessment of case e.g. medical history, family history, test results.								
8. Causality and Expectednes	s (to be complete	d by physician)						
Is the SAE related to the	-							
drug/device/intervention?		In addition to this form, and within 5 days: <sup>1</sup> For unexpected SAEs, if event ongoing, please complete and return all sections of the follow up						

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Possibly related* Probably related*	*If possibly, probably c definitely related, was	
Definitely related*	SAE unexpected? Yes <sup>1</sup> No <sup>2</sup> (Unexpected means not de in the protocol or other proc information)	
9. Sponsor notification (only complete where sp		onsor is not UH Bristol)
Has the Sponsor bee	n notified of the	Yes, give date:
SAE/SUS	AR?	

<sup>+</sup>Please note, you must inform the Sponsor within 24 hours of becoming aware of the event.

10. Additiona	l information (refer to section number)
Section no.	Further information
44 Chief/Driv	ainel Investigator, or delegated physician (at this site)
	ncipal Investigator, or delegated physician (at this site)
Name:	
Job title/role in study:	
Contact addre	ess:
Email address	S:
Telephone No	
Fax number:	
Signature:	
I confirm that	the contents of this form (pages 1, 2, 3, 4 + 5) are accurate and complete
lease tick this	box if additional pages have been used: 🗌

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

To be completed by person filling in the SAE form					
UH Bristol/UoB R&I case reference number					
reference number	(R&I use only)				
Subject ID/Initials	Study site:				
Onset date of SAE					

12. Details of person completing this report (if different to CI/PI/delegated other above)						
Name						
Job title/role in study:						
Contact details						
Signature						
I confirm that the contents of this form (pages 1, 2, 3, 4 + 5) are accurate and complete						

(Page 5 of 5)

Page 22 of 41

To be com	To be completed by person filling in the SAE form								
UH Bristol/U				case refer	ence nu	mber			
reference n				l use only)					
Subject ID/			Study site:						
			et date of	SAE					
Δηρο					-	PM	(Pa		f Δ)
Appendix 4 - SAE/SUSAR FOLLOW UP REPORT FORM (Page 1 of 4)									
1. Further details of SAE/SUSAR									
Event name/ summary (to be used as quick reference of event):									
quick reference of event): Further details of event/reaction, including body site, reported signs and symptoms and diagnosis									
where possible:									
where possible:									
Maximum inten	city (up uptil	time of	Mil	d 🗌	Modera	oto	Severe		
follow up repor		time of	IVIII	u		ale			
•••	()								
2. Outcome		Γ							
Decovered	Decevering		a d	Deceveri		Lota			Unknown
Recovered	Recovering	Not recover	5			Fatal (give cause Unk and PM details if		Unknown	
						available)			
Give details:									
End date and tin	00			OR Dura	tion				
(where applicabl	-				lion				
Was the patient	withdrawn fro	m the study?		Yes 🗌		N	lo 🗌		
3. Additional ad	tion taken a	nd further inf	form	nation sind	e initia	renc	ort		
Please describe						repe			

Ref No: 009/UHBristolR&I Version 9.0 06/01/2017 Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Further information or missing data relevant to assessment of case e.g. met test results.	dical history, family history,
Signature of person making report:	Date://
Signature of person making report: Name (please print):	Date://
	Date://

I	I confirm that the	contents of t	this form	(pages 1.	$2 \pm 3/4$	) are accurate	e and com	plete
				<b>γραgee</b> .,	0, .,	, allo accalat		p

To be completed by person filling in the SAE form						
UH Bristol/UoB reference number R&I case reference number (R&I use only)						
Subject ID/Initials		Study site:				
		Onset date of SAE				

#### SAE/SUSAR FOLLOW UP REPORT FORM

(Page 3 of 4)

Sheet number: \_\_\_\_\_of \_\_\_\_\_

4. CONCOMITAN	4. CONCOMITANT MEDICATION – details of administration of other medication concurrent with the IMP(s)/device/intervention.									
Brand name:	Indication	Route	Form	Total dose/24h	Regimen	Start date	Stop date	Or duration of		
		(e.g. oral)	(e.g. tablet)	(specify units)	(e.g. BD)	& time	& time	treatment		

#### Continue on new sheet if necessary; please identify how many sheets have been used.

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Page 25 of 41

To be completed by person filling in a	the SAE form		
UH Bristol/UoB reference number		R&I case reference number (R&I use only)	
Subject ID/Initials		Study site:	
		Onset date of SAE	

SAE/SUSAR FOLLOW UP REPORT FORM

(Page 4 of 4)

Sheet number: \_\_\_\_\_of \_\_\_\_\_

Brand name:	Indication	Batch	Route	Form	lies only Total	Regimen	Start date	Stop date	Or duration of
		no.	(e.g. oral)	(e.g. tablet)	dose/24h (specify units)	(e.g. BD)	& time	& time	treatment
or blinded studie	es, was the rando	misation c	ode broken?		*Yes	No	N/A		
f yes, give detai	ls:								

Continue on new sheet if necessary; please identify how many sheets have been used.

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Page 26 of 41

#### Appendix 5 UH Bristol SAE processing flowcharts within R&I


This flow chart is for use by R&I staff as a guidance document for handling SAEs reported to the UH Bristol R&I office for studies where UH Bristol or University of Bristol are acting as Sponsor. SAEs for studies sponsored by other organisations are not required to be sent to R&I. Please refer to the research safety reporting SOP for more information. A current version of the SOP can be found on the R&I website.				
SAE picked up by RMF with responsibility for reviewing SAEs that month or when RMF not available the nominated deputy RMF. The rota showing which RMF is allocated to reviewing SAEs and their nominated deputy is stored in the R&I shared J Drive in the safety reporting folder. Please refer to the RMF Team Leader if there are any issues locating the rota.				
SAE report received into R&I department either via fax, email or post.				
SAE report reviewed for completeness and entered onto SAE spreadsheet located: <u>J:\Research_and_Innovation\Monitoring\Safety</u> <u>Reporting\SAE-SUSAR_Breaches_spreadsheet_v1.3_June 2016.xlsx</u> *note PI signature must be recorded on SAE form or SAE form sent from PI email inbox (PI employer's email account only – no personal accounts) to confirm PI review.				
$\checkmark$				
Where SAE form not complete RMF chases research team (all within reporting timelines)				
IF SAE IS UNEXPECTED AND POSSIBLY, PROBABLY OR DEFINITELY RELATED (SUSAR) REQUIRES REPORTING TO REGULATORY AUTHORITIES- Refer to <b>flowchart A</b> IF SAE is (a) expected or (b) unexpected and unlikely/not related to trial intervention, was it in a CTIMP?				
YES				
For all CTIMPs, provide SAE form and relevant RSI to Head of Research & Innovation (or Research Operations manager in absence) for Sponsor review <b>within 3 days of receipt of SAE</b> . Attach queries form provided in Safety SOP appendix 5 for HoR&I to document any queries of SAE to be raised with PI or research team				
Sponsor review disagrees or seeks further clarification from 3 <sup>rd</sup> party on causality, relatedness and/or expectedness using Sponsor report form in Appendix 5 of Research Safety SOP. Head of R&I informs RMF and contacts PI and CI to discuss.				
If SAE ongoing refer to flowchart B				
If sponsor and CI continue to disagree and one review changes SAE to SUSAR- expedited process followed (refer to flowchart A) – Both reviews to be submitted to REC & MHRA				

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs


Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Page 27 of 41



Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs



Page 29 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

#### R&I review of SAEs (UH Bristol/UoB sponsored CTIMPs)

Study number	
Study (short) title	
SAE number	
Pt ID	
Date of onset	
Date study team aware of SAE	
Date reported to R&I	
Date of initial review by R&I	
Name of RMF reviewing SAE	
Name of Senior Manager reviewing SAE	

Please note when reviewing the SAE the senior manager MUST also review frequency of SAEs reported for related events. They can find all reported events using the same IMP in the SAE spreadsheet on the J Drive for this assessment (J/Research\_and\_Innovation/Monitoring/Safety Reporting). If there are any concerns the senior manager must record these and raise at SMT meeting for agreed action.

Page 30 of 41

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

#### Appendix 6 - SAE/SUSAR Sponsor report form

#### SAE/SUSAR SPONSOR REPORT FORM

#### This page for Research and Innovation Use Only **UH Bristol sponsored Studies**

Case reference number:	
UH Bristol Project Registration No:	
EudraCT No (IMP trials only):	

1. Independent 3rd party assessment of causality on behalf of Sponsor (if required)					
Is the SAE related to the					
drug/device/intervention?					
Not related					
Unlikely to be related					
Possibly related*		-			
Probably related*	*If possibly, probably or definitely related, was the SAE	<sup>1</sup> For unexpected SAEs, ensure all			
Definitely related*	unexpected?	required sections of the follow up report form have been completed.			
	□ Yes¹	report form have been completed.			
	$\square$ No <sup>2</sup>	<sup>2</sup> For expected SAEs, ensure			
	(Unexpected means not described	sections 1, 2 and 3 of the follow up report form have been completed.			
	in the protocol or other product	report form have been completed.			
Commonto	information)				
Comments:	.*				
Name of person performing s	sponsor assessment	Contact Number:			
Signature of person performing	ng sponsor assessment:	Date:			
2. Administrative and sponsor details					
Date report received from inv					
· · · · · · · · · · · · · · · · · · ·					
Name and Address of sponse	or:	Contact person at Sponsor			
University Hospitals Bristol N	HS Foundation Trust	Name:			
Research and Development	name.				
Level 3	Address: Same as sponsor.				
UH Bristol Education Centre Upper Maudlin Street					
Bristol BS2 8AE					
		Telephone no: 0117 342 0233			
		Fax no: 0117 342 0239			

\* Where the assessment has been performed by the Data Safety Monitoring Board, give the name of the Chair and attach a list of names of the members of the Board who participated in the assessment. Page 31 of 41

#### Appendix 7 - Guidance on content of Development Safety Update Reports

#### For Development Safety Update Report (DSUR) form go to Appendix 8.

A DSUR is IMP specific. If a Chief Investigator is carrying out more than one trial using the same IMP, one DSUR should be submitted for the IMP. This should occur on the first anniversary of the first regulatory approval in the world, and annually thereafter. For CTIMPS which have more than one IMP, the sponsor and the CI should agree the most appropriate approach to DSUR, and whether a single DSUR should be submitted for each IMP, or whether a combined DSUR should be submitted. Factors which will influence this decision are the dosing regime, form and the method(s) of administration.

The DSUR should have three parts:

**Part 1:** Analysis of the subjects' safety in the concerned clinical trial(s) with an appraisal of its ongoing risk benefit.

**Part 2**: A line listing of all suspected SARs (including all SUSARs) occurred in the concerned trial, including all serious adverse reactions from third countries

Part 3: An aggregate summary tabulation of suspected SARs that occurred in the concerned trial

- 1. Report on the subjects' safety of a clinical trial based on the information provided by investigators and the sponsor's own assessments, the sponsor will report all new findings related to the safety of the IMP treatments in the concerned trial. Where UH Bristol is the sponsor, this will be delegated to the relevant research team to report. The concept of new findings refers to information not already present in the investigator's brochure or, for licensed drugs, the summary of product characteristics. When relevant, the following points should be considered:
  - a. relation with dose, duration, time course of the treatment
  - b. reversibility
  - c. evidence of previously unidentified toxicity in the trial subjects
  - d. increased frequency of toxicity
  - e. overdose and its treatment
  - f. interactions or other associated risks factors
  - g. any specific safety issues related to special populations, such as the elderly, the children or any other at risk groups.
  - h. positive and negative experiences during pregnancy or lactation
  - i. abuse
  - j. risks which might be associated with the investigation or diagnostic procedures of the clinical trial

The report should also consider other experiences with the investigational medicinal product that are likely to affect the subjects' safety. It should detail the measures previously or currently proposed to minimise the risks found where appropriate. Finally, a rationale must be given on whether or not it is necessary to amend the protocol, to change or update the consent form, patient information leaflet and the Investigator's Brochure. This report will not replace the request for protocol amendments, which will follow its own specific procedure.

#### 2. Line-listings

The annual report should contain a trial-specific line-listing of all reports of suspected SARs that were reported during this trial. The line listing provides key information but not necessarily all the details usually collected on individual cases. It should include each subject only once regardless

Page 32 of 41

Ref No: 009/UHBristolR&I Version 9.0 06/01/2017 Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs of how many adverse reaction terms are reported for the case. If there is more than one reaction, they should all be mentioned but the case should be listed under the most serious adverse reaction (sign, symptom or diagnosis) as judged by the sponsor. It is possible that the same subject may experience different adverse reactions on different occasions. Such experiences should be treated as separate reports. In such circumstances, the same subject might then be included in a line listing more than once and the line-listings should be cross-referenced when possible. Cases should be tabulated by body system (standard system organ classification scheme). The line listing identifiable by the sponsor listing reference number or date and time of printing should include the information per case as described in 2.1. Usually there should be one listing for each trial, but separate listings might be provided for active comparator or placebo or when appropriate and relevant for other reasons, e.g. in the case that in the same trial for different formulations, indications or routes of administration are studied.

#### 2.1 Content of line listing

The line listing identifiable by the sponsor listing reference number or date and time of printing should include the following information per case:

- a. clinical trial identification
- b. Study subjects identification number in the trial
- c. case reference number (Case-ID-Number) in the sponsor's safety database for medicinal products
- d. country in which case occurred
- e. age and sex of trial subject
- f. daily dose of investigational medicinal product, (and, when relevant, dosage form and route of administration)
- g. date of onset of the adverse reaction. If not available, best estimate of time to onset from therapy initiation. For an ADR known to occur after cessation of therapy, estimate of time lag if possible.
- h. dates of treatment (if not available, best estimate of treatment duration.)
- i. adverse reaction: description of reaction as reported, and when necessary as interpreted by the sponsor, where medically appropriate, signs and symptoms can be grouped into diagnoses. MedDRA should be used.
- j. patient's outcome (e.g. resolved, fatal, improved, sequelae, unknown). This field should indicate the consequences of the reaction(s) for the patient, using the worst of the different outcomes for multiple reactions
- comments, if relevant (e.g. causality assessment if the sponsor disagrees with the reporter; concomitant medications suspected to play a role in the reactions directly or by interaction; indication treated with suspect drug(s); dechallenge/rechallenge results if available)
- I. unblinding results in the case of unblinded SUSARs expectedness at the time of the occurrence of the suspected SARs, assessed with the reference document (i.e. Investigator's Brochure) in force at the beginning of the period covered by the report.

#### 3. Aggregate summary tabulations

In addition to individual cases line listings, summary tabulations of SAR terms for signs, symptoms and/or diagnoses across all patients should usually be presented to provide an overview for each trial. These tabulations ordinarily contain more terms than subjects. When the number of cases is very small, a narrative description would be more suitable.

The aggregate summary tabulation should specify the number of reports:

- a) for each body system
- b) for each ADR term
- c) for each treatment arm, if applicable (IMP, comparator or placebo, blinded treatment)

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

The unexpected ADR terms should be clearly identified in the tabulation. As an example, the table shown in section 3.1 can be used.

#### 3.1 Example for an Aggregate Summary Tabulation

Number of reports by terms (signs, symptoms and diagnoses) for the trial number ....... (*An* \* *indicates an example of a SUSAR*)

Body system /ADR term	Verum	Placebo	Blinded
CNS			
Hallucinations*	2	2	0
Confusion*	1	1	0
Sub-total	3	3	0
CV			
Sub-total			

Page 34 of 41

#### Appendix 8 – Development Safety Update Report Form

#### DEVELOPMENT SAFETY UPDATE REPORT FOR IMP STUDIES – UH BRISTOL SPONSOR – UK STUDIES

For CTIMPs,on the first anniversary of (a) the date of the first Clinical Trials Authorisation (CTA) approval (trials starting after 1 May 2004) (b) the date of the original exemption (trials commenced under an exemption) or (c) the date of the first marketing authorisation granted in the EU (marketed products) and thereafter annually until the regulator has been informed of the closure of the trial a DSUR must be compiled and submitted. **Preparation and submission of the DSUR will be the responsibility of the Chief Investigator, supported and co-ordinated by the sponsor if required**. Submission should be made in accordance with the guidance on the MHRA website And either submitted electronically via email or provided electronically on disk to:

Research Ethics Committee that granted approval.

A copy should be placed within the Trial Master File and Investigator Site Files

#### Instructions for completion:

- Two months prior to the submission due date, **R&I will notify the Chief Investigator that a DSUR is due**, and advise the due date.
- R&I will notify investigator of the location of the applicable template for completion
- The Cl should complete the template and return the completed form to the Research Management Office, Level 3, Education Centre, Upper Maudlin Street, Bristol BS2 8AE or to <u>R&DSponsorship@UHBristol.nhs.uk</u> within 21 days of notification.
- R&I will check the forms for completeness, complete section 11 if necessary and liaise with the CI over finalising the report, gain signatures and return to the CI.
- The CI should submit the completed forms to the MHRA following the submission guidance provided on the MHRA website.
- A safety report form for the Research Ethics Committee should also be completed for CTIMPs. This form is available to download from the HRA website.

### NB unblinded information must not be revealed to the CI or research team if it would compromise the study.

Page 35 of 41

#### Appendix 8 DEVELOPMENT SAFETY UPDATE REPORT FORM - IMP STUDIES – UH Bristol SPONSOR - UK

1. Details of S	Sponsor		
Organisation:	University Hospitals Bristol NHS Foundation	Trust	
Contact person:	Head of Research & Innovation/Research Operations Manager		
Contact address:	Research and Innovation, Level 3, Education Centre, Upper Maudlin Street, Bristol BS2 8AE		
Email address:	research@uhbristol.nhs.uk		
Telephone No:	0117 342 0233		
Fax number:	0117 342 0239		
Signature:			
Name:		Date:	
2. Details of p	person completing report		
Name:			
Job title/role in study:			
Contact address:			
Email address:			
Telephone No:			
Fax number:			
Signature:			
Name:		Date:	
3. Details of I	DSUR		
Report number:			
Period Covered:			
Date of report:			
4. Details of I	MP		
IMP(s):			
Dosage, form, route of administration:			
Supplier:			
Marketing status:			

Page \_\_\_\_\_ of \_\_\_\_\_

Ref No: 009/UHBristoIR&I Version 9.0 06/01/2017

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Page 36 of 41

5. Details of CTIMPs covered by report					
UH Bristol R&D		Ethics No:			
Project					
Registration No:					
EudraCT No:		CTA No:			
		(If CTA not yet			
		issued, DDX no.	.)		
Full Title of Study:					
Date of MHRA app	proval:				
UH Bristol R&D		Ethics No:			
Project					
Registration No:					
EudraCT No:		CTA No:			
		(If CTA not yet			
		issued, DDX no.	)		
Full Title of Study:					
Date of MHRA app	proval:				
UH Bristol R&D		Ethics No:			
Project					
Registration No:					
EudraCT No:		CTA No:			
		(If CTA not yet			
		issued, DDX no.	)		
Full Title of Study:			·/		
T dif Thie of Olddy.					
Date of MHRA app	proval:				
	non-interventional	studies using IMP (if	applicable)		
UH Bristol R&D		Ethics No:			
Project					
Registration No:					
Full Title of Study:					
	of Serious Adverse	Events (SAEs)			
Number of SAEs	In reporting year:		In total:		
No. of SSARs	In reporting year:		In total:		
No. of SUSARs	In reporting year:		In total:		
INU. UI SUGARS	In reporting year:				

Page	of
------	----

8. Report on subjects' safety in CTIMP(s) breaches of GCP, temporary or early ha	, including urgent safety measures, serious alt of trial due to safety concerns.
EudraCT No:	
Are there any new findings <sup>2</sup> related to the safety of the IMP treatments in this trial?	Yes No
If yes, provide details <sup>3</sup> :	
Have there been any other experiences with this IMP that could affect the subjects' safety?	Yes  No
If yes, provide details:	
Is/was it necessary to amend the protocol, patient information sheet, consent form or investigator brochure?	Yes No
If yes, give details (including amended version no	
Summary (including information gained from sources, if applicable):	non-interventional studies and other

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

<sup>&</sup>lt;sup>2</sup> New findings refers to information not already present in the investigator's brochure or for licensed drugs the summary of product characteristics. <sup>3</sup> When relevant, the following points should be considered; relation with dose, duration, time course of the treatment; reversibility;

<sup>&</sup>lt;sup>3</sup> When relevant, the following points should be considered: relation with dose, duration, time course of the treatment; reversibility; evidence of previously unidentified toxicity in the trial subjects; increased frequency of toxicity; overdose and its treatment; interactions or other associated risks factors; any specific safety issues related to special populations, such as the elderly, the children or any other at risk groups; positive and negative experiences during pregnancy or lactation; abuse; risks which might be associated with the investigation or diagnostic procedures of the clinical trial.

#### 9. Overall safety assessment Evaluation of risks:

Evaluation of risks:

Benefit-risk considerations:

Conclusions, including current management of risks and actions for future risk management if required:

Page 39 of 41

Page \_\_\_\_\_ of \_\_\_\_\_ continue on new sheet if necessary; please identify how many sheets have been used.

10. Line listing of Suspected Serious Adverse Reactions (SSARs)												
				Details of IMP(s) list all			Details of SSAR					
Study Subject	AE No.	Age	Sex	Name of IMP	Dose	Route	Date of onset <sup>4</sup>	Dates of IMP	Description of adverse event	Outcome	Causality <sup>6</sup>	Expected
ld								treatment <sup>5</sup>				(Yes/No)

Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs

 <sup>&</sup>lt;sup>4</sup> If not available, best estimate of time to onset and route of administration. For an ADR known to occur after cessation of therapy, estimate of time lag if possible.
 <sup>5</sup> If not available, best estimate of treatment duration
 <sup>6</sup> Possibly, probably or definitely related.
 <sup>6/7</sup> If causality/expectedness were uncertain and an unblinded assessment was carried out, team to liaise with R&I department who will assist with completing this section and ensuring appropriate team members remain blinded to allocation as required.

Please refer to http://www.uhbristol.nhs.uk/research-innovation to ensure latest version of document is in use. Printed copies are Uncontrolled.

Page \_\_\_\_\_ of \_\_\_\_\_ continue on new sheet if necessary; please identify how many sheets have been used.

11. Aggregate Summary Table of SSARs								
Category e.g. Allergy/Immunology	Adverse Event e.g. Autoimmune reaction	Total No. of Reports						

Page 41 of 41

Ref No: 009/UHBristolR&I Version 9.0 06/01/2017 Saved in J:Research&Innovation:Quality System Documents\_R&I SOPs