

**Freedom of Information Request****Ref: UHB 17-503**

Date 5 September 2017

[REDACTED]

[REDACTED]

[REDACTED]

Thank you for your request for information under the Freedom of Information Act 2000. The Trusts response is as follows:

**I'm trying to find out some information on the numbers and types of specific medical devices used across the Trust. Please be so kind as to fill in the below form:**

|                             | <b>Manufacturer &amp; Model</b>              | <b>Quantity</b> | <b>Date Purchased</b> | <b>Value</b> |
|-----------------------------|--|-----------------|-----------------------|--------------|
| <b>Volumetric Pumps</b>     | Fresenius / Volumat                          | 707             | Feb – Oct 2016        | £220,000     |
| <b>Syringe Pumps</b>        | Fresenius / Injectomat                       | 707             | Feb – Oct 2016        | £220,000     |
| <b>TCI Pumps</b>            | Carefusion / PK. Smiths Medical / 3400, 3500 | 44              | 1998 – 2017           | £132,000     |
| <b>PCA Pumps</b>            | Smiths Medical / 3300.<br>Carefusion / PCAM  | 90              | 1998 – 2010           | £270,000     |
| <b>Epidural Pumps</b>       | CME / Bodyguard                              | 33              | 2006 – 2008           | £99,000      |
| <b>MRI Compatible Pumps</b> | None   |                 |                       |              |

This concludes our response. We trust that you find this helpful, but please do not hesitate to contact us directly if we can be of any further assistance.

If, after that, you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to:

Trust Secretary  
 University Hospitals Bristol NHS Foundation Trust  
 Trust Headquarters  
 Marlborough Street  
 Bristol  
 BS1 3NU

Please remember to quote the reference number above in any future communications.

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF

To view the Freedom of Information Act in full please click [here](#).

Yours sincerely,

[REDACTED]  
[REDACTED]